


DIN 933

- ~ HRN M.B1.053
- ~ UNI 5739
- ~ ISO 4017

Vijak sa šesterokutnom glavom, sa navojem do glave
Hexagon head screws, full thread
Sechskantschrauben ohne Schaft



5.8 Fe

| d1 | M 4 | M 5 | M 6 | M 8 | M 10 | M 12 | M 14 | M 16 | M 18 | M 20 |
|----------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|
| e | 7,66 | 8,79 | 11,05 | 14,38 | 18,90 | 21,10 | 24,89 | 26,75 | 30,14 | 33,53 |
| k | 2,80 | 3,50 | 4,00 | 5,30 | 6,40 | 7,50 | 8,80 | 10,00 | 11,50 | 12,50 |
| s po DIN | 7 | 8 | 10 | 13 | 17 | 19 | 22 | 24 | 27 | 30 |
| s po ISO | 7 | 8 | 10 | 13 | 16 | 18 | 21 | 24 | 27 | 30 |
| ld | M 4 | M 5 | M 6 | M 8 | M 10 | M 12 | M 14 | M 16 | M 18 | M 20 |
| 6 | 500 | | | | | | | | | |
| 8 | 500 | 500 | 500 | 200 | | | | | | |
| 10 | 500 | 500 | 500 | 200 | 200 | | | | | |
| 12 | 500 | 500 | 500 | 200 | 200 | | | | | |
| 14 | 500 | 500 | 500 | 200 | 200 | | | | | |
| 16 | 500 | 500 | 500 | 200 | 200 | 100 | 100 | | | |
| 18 | 500 | 500 | 500 | 200 | 200 | 100 | 100 | | | |
| 20 | 500 | 500 | 500 | 200 | 200 | 100 | 100 | 50 | | |
| 22 | 500 | 500 | 500 | 200 | 200 | 100 | 100 | 50 | | |
| 25 | 500 | 500 | 500 | 200 | 200 | 100 | 100 | 50 | 50 | 25 |
| 30 | 500 | 500 | 500 | 200 | 200 | 100 | 100 | 50 | 50 | 25 |
| 35 | 500 | 500 | 200 | 200 | 100 | 100 | 100 | 50 | 50 | 25 |
| 40 | 500 | 200 | 200 | 200 | 100 | 100 | 100 | 50 | 50 | 25 |
| 45 | 500 | 200 | 200 | 200 | 100 | 100 | 50 | 50 | 50 | 25 |
| 50 | 500 | 200 | 200 | 200 | 100 | 100 | 50 | 50 | 50 | 25 |
| 55 | 500 | 200 | 200 | 200 | 100 | 100 | 50 | 50 | 25 | 25 |
| 60 | 500 | 200 | 200 | 200 | 100 | 100 | 50 | 50 | 25 | 25 |
| 65 | | | 200 | 200 | 100 | 50 | 50 | 25 | 25 | 25 |
| 70 | | | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 |
| 75 | | | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 |
| 80 | | | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 |
| 85 | | | 100 | 100 | 100 | 50 | 50 | 25 | 25 | 25 |
| 90 | | | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 |
| 95 | | | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 |
| 100 | | | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 |
| 110 | | | | 100 | 50 | 50 | 50 | 25 | 25 | 25 |
| 120 | | | | 100 | 50 | 25 | 25 | 25 | 25 | 25 |
| 130 | | | | | 50 | 25 | 25 | 25 | 25 | 25 |
| 140 | | | | | 50 | 25 | 25 | 25 | 25 | 25 |
| 150 | | | | | 50 | 25 | 25 | 25 | 25 | 25 |
| 160 | | | | | 50 | 25 | 25 | 25 | 25 | 10 |
| 170 | | | | | 50 | 25 | 25 | 25 | 25 | 10 |
| 180 | | | | | 50 | 25 | 25 | 25 | 25 | 10 |
| 190 | | | | | | | | 25 | 25 | 10 |
| 200 | | | | | | | | 25 | 25 | 10 |


DIN 933

~ HRN M.B1.053

~ UNI 5739

~ ISO 4017

Vijak sa šesterokutnom glavom, sa navojem do glave
Hexagon head screws, full thread
 Sechskantschrauben ohne Schaft



5.8 Fe

| d1 | M 22 | M 24 | M 27 | M 30 | M 33 | M 36 | M 39 | M 42 | M 45 | M 48 |
|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| e | 35,72 | 39,98 | 45,20 | 50,85 | 55,37 | 60,79 | 66,44 | 72,09 | 77,74 | 83,39 |
| k | 14,00 | 15,00 | 17,00 | 18,70 | 21 | 22,50 | 25,00 | 26 | 28 | 30 |
| s po DIN | 32 | 36 | 41 | 46 | 50 | 55 | 60 | 65 | 70 | 75 |
| s po ISO | 34 | 36 | 41 | 46 | | 55 | 60 | | | |
| ld | M 22 | M 24 | M 27 | M 30 | M 33 | M 36 | M 39 | M 42 | M 45 | M 48 |
| 6 | | | | | | | | | | |
| 8 | | | | | | | | | | |
| 10 | | | | | | | | | | |
| 12 | | | | | | | | | | |
| 14 | | | | | | | | | | |
| 16 | | | | | | | | | | |
| 18 | | | | | | | | | | |
| 20 | | | | | | | | | | |
| 22 | | | | | | | | | | |
| 25 | | | | | | | | | | |
| 30 | 25 | 25 | | | | | | | | |
| 35 | 25 | 25 | | | | | | | | |
| 40 | 25 | 25 | 25 | 10 | | | | | | |
| 45 | 25 | 25 | 25 | 10 | | | | | | |
| 50 | 25 | 25 | 25 | 10 | | | | | | |
| 55 | 25 | 25 | 10 | 10 | | | | | | |
| 60 | 25 | 25 | 10 | 10 | 1 | 1 | | | | |
| 65 | 25 | 25 | 10 | 10 | 1 | 1 | | | | |
| 70 | 25 | 25 | 10 | 10 | 1 | 1 | | | | |
| 75 | 25 | 25 | 10 | 10 | 1 | 1 | | | | |
| 80 | 25 | 25 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 85 | 25 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 90 | 25 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 95 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 100 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 110 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 120 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 130 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 140 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 150 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 160 | 10 | 10 | 10 | 10 | | | | | | |
| 170 | 10 | 10 | 10 | 10 | | | | | | |
| 180 | 10 | 10 | 10 | 10 | | | | | | |
| 190 | 10 | 10 | 10 | 10 | | | | | | |
| 200 | 10 | 10 | 10 | 10 | | | | | | |


DIN 933

~ HRN M.B1.053

~ UNI 5739

~ ISO 4017

Vijak sa šesterokutnom glavom, sa navojem do glave
Hexagon head screws, full thread
Sechskantschrauben ohne Schaft



5.8 Zn

| d1 | M 4 | M 5 | M 6 | M 8 | M 10 | M 12 | M 14 | M 16 | M 18 | M 20 |
|----------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|
| e | 7,66 | 8,79 | 11,05 | 14,38 | 18,90 | 21,10 | 24,89 | 26,75 | 30,14 | 33,53 |
| k | 2,80 | 3,50 | 4,00 | 5,30 | 6,40 | 7,50 | 8,80 | 10,00 | 11,50 | 12,50 |
| s po DIN | 7 | 8 | 10 | 13 | 17 | 19 | 22 | 24 | 27 | 30 |
| s po ISO | 7 | 8 | 10 | 13 | 16 | 18 | 21 | 24 | 27 | 30 |
| ld | M 4 | M 5 | M 6 | M 8 | M 10 | M 12 | M 14 | M 16 | M 18 | M 20 |
| 6 | 500 | 500 | | | | | | | | |
| 8 | 500 | 500 | 500 | 200 | | | | | | |
| 10 | 500 | 500 | 500 | 200 | 200 | | | | | |
| 12 | 500 | 500 | 500 | 200 | 200 | | | | | |
| 14 | 500 | 500 | 500 | 200 | 200 | | | | | |
| 16 | 500 | 500 | 500 | 200 | 200 | 100 | 100 | | | |
| 18 | 500 | 500 | 500 | 200 | 200 | 100 | 100 | | | |
| 20 | 500 | 500 | 500 | 200 | 200 | 100 | 100 | 50 | | |
| 22 | 500 | 500 | 500 | 200 | 200 | 100 | 100 | 50 | | |
| 25 | 500 | 500 | 500 | 200 | 200 | 100 | 100 | 50 | 50 | |
| 30 | 500 | 500 | 500 | 200 | 200 | 100 | 100 | 50 | 50 | 25 |
| 35 | 500 | 500 | 200 | 200 | 100 | 100 | 100 | 50 | 50 | 25 |
| 40 | 500 | 200 | 200 | 200 | 100 | 100 | 100 | 50 | 50 | 25 |
| 45 | 500 | 200 | 200 | 200 | 100 | 100 | 50 | 50 | 50 | 25 |
| 50 | 500 | 200 | 200 | 200 | 100 | 100 | 50 | 50 | 50 | 25 |
| 55 | | 200 | 200 | 200 | 100 | 100 | 50 | 50 | 25 | 25 |
| 60 | | 200 | 200 | 200 | 100 | 100 | 50 | 50 | 25 | 25 |
| 65 | | 200 | 200 | 200 | 100 | 50 | 50 | 25 | 25 | 25 |
| 70 | | 200 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 |
| 75 | | 200 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 |
| 80 | | 200 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 |
| 85 | | 200 | 100 | 100 | 100 | 50 | 50 | 25 | 25 | 25 |
| 90 | | 200 | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 |
| 95 | | | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 |
| 100 | | | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 |
| 110 | | | | 100 | 50 | 50 | 50 | 25 | 25 | 25 |
| 120 | | | | 100 | 50 | 25 | 25 | 25 | 25 | 25 |
| 130 | | | | | 50 | 25 | 25 | 25 | 25 | 25 |
| 140 | | | | | 50 | 25 | 25 | 25 | 25 | 25 |
| 150 | | | | | 50 | 25 | 25 | 25 | 25 | 25 |
| 160 | | | | | 50 | 25 | 25 | 25 | 25 | 10 |
| 170 | | | | | 50 | 25 | 25 | 25 | 25 | 10 |
| 180 | | | | | 50 | 25 | 25 | 25 | 25 | 10 |
| 190 | | | | | | | | 25 | 25 | 10 |
| 200 | | | | | | | | 25 | 25 | 10 |



DIV d.o.o., TVORNICA VIJAKA / FASTERNERS FACTORY, Bobovica 10a, HR-10430, Samobor, Hrvatska (Croatia)

Tel: +385 1 3377 000 / Fax: +385 1 3376 155 / e-mail: div@div.com.hr / www.div.com.hr

MB: 3659976 / Žiro račun: RBA 2484008-1100228260 / Devizni račun/Account: 038-2500-978-3659976 - Raiffeisen Bank Austria d.d., Zagreb

SWIFT: RZBHR2X / IBAN: HR8224840081100228260 / MBS 080127368 kod Trgovačkog suda u Zagrebu / Temeljni kapital: 18.472.800,00 kn - uplaćen u cijelosti/entirely paid

Uprava/Board of Directors: T. Debeljak - predsjednik/president, D. Pappo - član/member, Nadzorni odbor/Supervisory Board: B. Debeljak - predsjednik/president


DIN 933

~ HRN M.B1.053

~ UNI 5739

~ ISO 4017

Vijak sa šesterokutnom glavom, sa navojem do glave
Hexagon head screws, full thread
Sechskantschrauben ohne Schaft



5.8 Zn

| d1 | M 22 | M 24 | M 27 | M 30 | M 33 | M 36 | M 39 | M 42 | M 45 | M 48 |
|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| e | 35,72 | 39,98 | 45,20 | 50,85 | 55,37 | 60,79 | 66,44 | 72,09 | 77,74 | 83,39 |
| k | 14,00 | 15,00 | 17,00 | 18,70 | 21 | 22,50 | 25,00 | 26 | 28 | 30 |
| s po DIN | 32 | 36 | 41 | 46 | 50 | 55 | 60 | 65 | 70 | 75 |
| s po ISO | 34 | 36 | 41 | 46 | | 55 | 60 | | | |
| ld | M 22 | M 24 | M 27 | M 30 | M 33 | M 36 | M 39 | M 42 | M 45 | M 48 |
| 6 | | | | | | | | | | |
| 8 | | | | | | | | | | |
| 10 | | | | | | | | | | |
| 12 | | | | | | | | | | |
| 14 | | | | | | | | | | |
| 16 | | | | | | | | | | |
| 18 | | | | | | | | | | |
| 20 | | | | | | | | | | |
| 22 | | | | | | | | | | |
| 25 | | | | | | | | | | |
| 30 | 25 | | | | | | | | | |
| 35 | 25 | | | | | | | | | |
| 40 | 25 | 25 | 25 | 10 | | | | | | |
| 45 | 25 | 25 | 25 | 10 | | | | | | |
| 50 | 25 | 25 | 25 | 10 | | | | | | |
| 55 | 25 | 25 | 10 | 10 | | | | | | |
| 60 | 25 | 25 | 10 | 10 | 1 | 1 | | | | |
| 65 | 25 | 25 | 10 | 10 | 1 | 1 | | | | |
| 70 | 25 | 25 | 10 | 10 | 1 | 1 | | | | |
| 75 | 25 | 25 | 10 | 10 | 1 | 1 | | | | |
| 80 | 25 | 25 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 85 | 25 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 90 | 25 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 95 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 100 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 110 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 120 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 130 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 140 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 150 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 160 | 10 | 10 | 10 | 10 | | | | | | |
| 170 | 10 | 10 | 10 | 10 | | | | | | |
| 180 | 10 | 10 | 10 | 10 | | | | | | |
| 190 | 10 | 10 | 10 | 10 | | | | | | |
| 200 | 10 | 10 | 10 | 10 | | | | | | |



DIV d.o.o., TVORNICA VIJAKA / FASTENERS FACTORY, Bobovica 10a, HR-10430, Samobor, Hrvatska (Croatia)

Tel: +385 1 3377 000 / Fax: +385 1 3376 155 / e-mail: div@div.com.hr / www.div.com.hr

MB: 3659976 / Žiro račun: RBA 2484008-1100228260 / Devizni račun/Account: 038-2500-978-3659976 - Raiffeisen Bank Austria d.d., Zagreb

SWIFT: RZBHHR2X / IBAN: HR8224840081100228260 / MBS 080127368 kod Trgovačkog suda u Zagrebu / Temeljni kapital: 18.472.800,00 kn - uplaćen u cijelosti/entirely paid

Uprava/Board of Directors: T. Debeljak - predsjednik/president, D. Pappo - član/member, Nadzorni odbor/Supervisory Board: B. Debeljak - predsjednik/president


DIN 933

~ HRN M.B1.053

~ UNI 5739

~ ISO 4017

Vijak sa šesterokutnom glavom, sa navojem do glave
Hexagon head screws, full thread
 Sechskantschrauben ohne Schaft



5.8 TZn

| d1 | M 8 | M 10 | M 12 | M 14 | M 16 | M 18 | M 20 | M 22 | M 24 | M 27 | M 30 | M 33 | M 36 | M 39 | M 42 |
|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| e | 14,38 | 18,90 | 21,10 | 24,89 | 26,75 | 30,14 | 33,53 | 35,72 | 39,98 | 45,20 | 50,85 | 55,37 | 60,79 | 66,44 | 72,09 |
| k | 5,30 | 6,40 | 7,50 | 8,80 | 10,00 | 11,50 | 12,50 | 14,00 | 15,00 | 17,00 | 18,70 | 21,00 | 22,50 | 25,00 | 26,00 |
| s po DIN | 13,00 | 17,00 | 19,00 | 22,00 | 24,00 | 27,00 | 30,00 | 32,00 | 36,00 | 41,00 | 46,00 | 50,00 | 55,00 | 60,00 | 65,00 |
| s po ISO | 13,00 | 16,00 | 18,00 | 21,00 | 24,00 | 27,00 | 30,00 | 34,00 | 36,00 | 41,00 | 46,00 | | 55,00 | 60,00 | |
| l/d | M 8 | M 10 | M 12 | M 14 | M 16 | M 18 | M 20 | M 22 | M 24 | M 27 | M 30 | M 33 | M 36 | M 39 | M 42 |
| 10 | 200 | | | | | | | | | | | | | | |
| 12 | 200 | | | | | | | | | | | | | | |
| 14 | 200 | | | | | | | | | | | | | | |
| 16 | 200 | 200 | 100 | | | | | | | | | | | | |
| 18 | 200 | 200 | 100 | | | | | | | | | | | | |
| 20 | 200 | 200 | 100 | 100 | | | | | | | | | | | |
| 22 | 200 | 200 | 100 | 100 | | | | | | | | | | | |
| 25 | 200 | 200 | 100 | 100 | 50 | 50 | | | | | | | | | |
| 30 | 200 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | | | | | | | |
| 35 | 200 | 100 | 100 | 100 | 50 | 50 | 25 | 25 | | | | | | | |
| 40 | 200 | 100 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 10 | | | | |
| 45 | 200 | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 | 25 | 10 | | | | |
| 50 | 200 | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 | 25 | 10 | | | | |
| 55 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 10 | 10 | | | | |
| 60 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 10 | 10 | 1 | 1 | | |
| 65 | 200 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 25 | 10 | 10 | 1 | 1 | | |
| 70 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 25 | 10 | 10 | 1 | 1 | | |
| 75 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 25 | 10 | 10 | 1 | 1 | | |
| 80 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 25 | 10 | 10 | 1 | 1 | 1 | 1 |
| 85 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 10 | 10 | 10 | | | | |
| 90 | 100 | 50 | 50 | 50 | 25 | 25 | 25 | 25 | 10 | 10 | 10 | 1 | 1 | 1 | 1 |
| 95 | 100 | 50 | 50 | 50 | 25 | 25 | 25 | 10 | 10 | 10 | 10 | | | | |
| 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 |
| 110 | 100 | 50 | 50 | 50 | 25 | 25 | 25 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 |
| 120 | 100 | 50 | 25 | 25 | 25 | 25 | 25 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 |
| 130 | | 50 | 25 | 25 | 25 | 25 | 25 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 |
| 140 | | 50 | 25 | 25 | 25 | 25 | 25 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 |
| 150 | | 50 | 25 | 25 | 25 | 25 | 25 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 |
| 160 | | 50 | 25 | 25 | 25 | 25 | 10 | 10 | 10 | 10 | 10 | | | | |
| 170 | | 50 | 25 | 25 | 25 | 25 | 10 | 10 | 10 | 10 | 10 | | | | |
| 180 | | | | | 25 | 25 | 10 | 10 | 10 | 10 | | | | | |
| 190 | | | | | 25 | 25 | 10 | 10 | 10 | 10 | | | | | |
| 200 | | | | | 25 | 25 | 10 | 10 | 10 | 10 | | | | | |


DIN 933

~ HRN M.B1.053

~ UNI 5739

~ ISO 4017

Vijak sa šesterokutnom
glavom, sa navojem do glave
Hexagon head screws, full thread
Sechskantschrauben ohne Schaft



8.8 Br

| d1 | M 4 | M 5 | M 6 | M 8 | M 10 | M 12 | M 14 | M 16 | M 18 | M 20 |
|----------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|
| e | 7,66 | 8,79 | 11,05 | 14,38 | 18,90 | 21,10 | 24,89 | 26,75 | 30,14 | 33,53 |
| k | 2,80 | 3,50 | 4,00 | 5,30 | 6,40 | 7,50 | 8,80 | 10,00 | 11,50 | 12,50 |
| s po DIN | 7 | 8 | 10 | 13 | 17 | 19 | 22 | 24 | 27 | 30 |
| s po ISO | 7 | 8 | 10 | 13 | 16 | 18 | 21 | 24 | 27 | 30 |
| l\ d | M 4 | M 5 | M 6 | M 8 | M 10 | M 12 | M 14 | M 16 | M 18 | M 20 |
| 6 | 500 | | | | | | | | | |
| 8 | 500 | 500 | 500 | 200 | | | | | | |
| 10 | 500 | 500 | 500 | 200 | 200 | | | | | |
| 12 | 500 | 500 | 500 | 200 | 200 | | | | | |
| 14 | 500 | 500 | 500 | 200 | 200 | | | | | |
| 16 | 500 | 500 | 500 | 200 | 200 | 100 | 100 | | | |
| 18 | 500 | 500 | 500 | 200 | 200 | 100 | 100 | | | |
| 20 | 500 | 500 | 500 | 200 | 200 | 100 | 100 | 50 | | |
| 22 | 500 | 500 | 500 | 200 | 200 | 100 | 100 | 50 | | |
| 25 | 500 | 500 | 500 | 200 | 200 | 100 | 100 | 50 | 50 | 25 |
| 30 | 500 | 500 | 500 | 200 | 200 | 100 | 100 | 50 | 50 | 25 |
| 35 | 500 | 500 | 200 | 200 | 100 | 100 | 100 | 50 | 50 | 25 |
| 40 | 500 | 200 | 200 | 200 | 100 | 100 | 100 | 50 | 50 | 25 |
| 45 | 500 | 200 | 200 | 200 | 100 | 100 | 50 | 50 | 50 | 25 |
| 50 | 500 | 200 | 200 | 200 | 100 | 100 | 50 | 50 | 50 | 25 |
| 55 | 500 | 200 | 200 | 200 | 100 | 100 | 50 | 50 | 25 | 25 |
| 60 | 500 | 200 | 200 | 200 | 100 | 100 | 50 | 50 | 25 | 25 |
| 65 | | | 200 | 200 | 100 | 50 | 50 | 25 | 25 | 25 |
| 70 | | | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 |
| 75 | | | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 |
| 80 | | | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 |
| 85 | | | 100 | 100 | 100 | 50 | 50 | 25 | 25 | 25 |
| 90 | | | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 |
| 95 | | | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 |
| 100 | | | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 |
| 110 | | | | 100 | 50 | 50 | 50 | 25 | 25 | 25 |
| 120 | | | | 100 | 50 | 25 | 25 | 25 | 25 | 25 |
| 130 | | | | | 50 | 25 | 25 | 25 | 25 | 25 |
| 140 | | | | | 50 | 25 | 25 | 25 | 25 | 25 |
| 150 | | | | | 50 | 25 | 25 | 25 | 25 | 25 |
| 160 | | | | | 50 | 25 | 25 | 25 | 25 | 10 |
| 170 | | | | | 50 | 25 | 25 | 25 | 25 | 10 |
| 180 | | | | | 50 | 25 | 25 | 25 | 25 | 10 |
| 190 | | | | | | | | 25 | 25 | 10 |
| 200 | | | | | | | | 25 | 25 | 10 |


DIN 933

~ HRN M.B1.053

~ UNI 5739

~ ISO 4017

Vijak sa šesterokutnom glavom, sa navojem do glave
Hexagon head screws, full thread
 Sechskantschrauben ohne Schaft




8.8 Br

| d1 | M 22 | M 24 | M 27 | M 30 | M 33 | M 36 | M 39 | M 42 | M 45 | M 48 |
|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| e | 35,72 | 39,98 | 45,20 | 50,85 | 55,37 | 60,79 | 66,44 | 72,09 | 77,74 | 83,39 |
| k | 14,00 | 15,00 | 17,00 | 18,70 | 21 | 22,50 | 25,00 | 26 | 28 | 30 |
| s po DIN | 32 | 36 | 41 | 46 | 50 | 55 | 60 | 65 | 70 | 75 |
| s po ISO | 34 | 36 | 41 | 46 | 50 | 55 | 60 | 65 | 70 | 75 |
| l\ d | M 22 | M 24 | M 27 | M 30 | M 33 | M 36 | M 39 | M 42 | M 45 | M 48 |
| 6 | | | | | | | | | | |
| 8 | | | | | | | | | | |
| 10 | | | | | | | | | | |
| 12 | | | | | | | | | | |
| 14 | | | | | | | | | | |
| 16 | | | | | | | | | | |
| 18 | | | | | | | | | | |
| 20 | | | | | | | | | | |
| 22 | | | | | | | | | | |
| 25 | | | | | | | | | | |
| 30 | 25 | 25 | | | | | | | | |
| 35 | 25 | 25 | | | | | | | | |
| 40 | 25 | 25 | 25 | 10 | | | | | | |
| 45 | 25 | 25 | 25 | 10 | | | | | | |
| 50 | 25 | 25 | 25 | 10 | | | | | | |
| 55 | 25 | 25 | 10 | 10 | | | | | | |
| 60 | 25 | 25 | 10 | 10 | 1 | 1 | | | | |
| 65 | 25 | 25 | 10 | 10 | 1 | 1 | | | | |
| 70 | 25 | 25 | 10 | 10 | 1 | 1 | | | | |
| 75 | 25 | 25 | 10 | 10 | 1 | 1 | | | | |
| 80 | 25 | 25 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 85 | 25 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 90 | 25 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 95 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 100 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 110 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 120 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 130 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 140 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 150 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 160 | 10 | 10 | 10 | 10 | | | | | | |
| 170 | 10 | 10 | 10 | 10 | | | | | | |
| 180 | 10 | 10 | 10 | 10 | | | | | | |
| 190 | 10 | 10 | 10 | 10 | | | | | | |
| 200 | 10 | 10 | 10 | 10 | | | | | | |

DIN 933

- ~ HRN M.B1.053
- ~ UNI 5739
- ~ ISO 4017

Vijak sa šesterokutnom glavom, sa navojem do glave
Hexagon head screws, full thread
Sechskantschrauben ohne Schaft




8.8 Zn

| d1 | M 4 | M 5 | M 6 | M 8 | M 10 | M 12 | M 14 | M 16 | M 18 | M 20 |
|----------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|
| e | 7,66 | 8,79 | 11,05 | 14,38 | 18,90 | 21,10 | 24,89 | 26,75 | 30,14 | 33,53 |
| k | 2,80 | 3,50 | 4,00 | 5,30 | 6,40 | 7,50 | 8,80 | 10,00 | 11,50 | 12,50 |
| s po DIN | 7 | 8 | 10 | 13 | 17 | 19 | 22 | 24 | 27 | 30 |
| s po ISO | 7 | 8 | 10 | 13 | 16 | 18 | 21 | 24 | 27 | 30 |
| l/d | M 4 | M 5 | M 6 | M 8 | M 10 | M 12 | M 14 | M 16 | M 18 | M 20 |
| 6 | 500 | 500 | | | | | | | | |
| 8 | 500 | 500 | 500 | 200 | | | | | | |
| 10 | 500 | 500 | 500 | 200 | 200 | | | | | |
| 12 | 500 | 500 | 500 | 200 | 200 | | | | | |
| 14 | 500 | 500 | 500 | 200 | 200 | | | | | |
| 16 | 500 | 500 | 500 | 200 | 200 | 100 | 100 | | | |
| 18 | 500 | 500 | 500 | 200 | 200 | 100 | 100 | | | |
| 20 | 500 | 500 | 500 | 200 | 200 | 100 | 100 | 50 | | |
| 22 | 500 | 500 | 500 | 200 | 200 | 100 | 100 | 50 | | |
| 25 | 500 | 500 | 500 | 200 | 200 | 100 | 100 | 50 | 50 | |
| 30 | 500 | 500 | 500 | 200 | 200 | 100 | 100 | 50 | 50 | 25 |
| 35 | 500 | 500 | 500 | 200 | 100 | 100 | 100 | 50 | 50 | 25 |
| 40 | 500 | 200 | 200 | 200 | 100 | 100 | 100 | 50 | 50 | 25 |
| 45 | 500 | 200 | 200 | 200 | 100 | 100 | 50 | 50 | 50 | 25 |
| 50 | 500 | 200 | 200 | 200 | 100 | 100 | 50 | 50 | 50 | 25 |
| 55 | | 200 | 200 | 200 | 100 | 100 | 50 | 50 | 25 | 25 |
| 60 | | 200 | 200 | 200 | 100 | 100 | 50 | 50 | 25 | 25 |
| 65 | | 200 | 200 | 200 | 100 | 50 | 50 | 25 | 25 | 25 |
| 70 | | 200 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 |
| 75 | | 200 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 |
| 80 | | 200 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 |
| 85 | | 200 | 100 | 100 | 100 | 50 | 50 | 25 | 25 | 25 |
| 90 | | 200 | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 |
| 95 | | | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 |
| 100 | | | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 |
| 110 | | | | 100 | 50 | 50 | 50 | 25 | 25 | 25 |
| 120 | | | | 100 | 50 | 25 | 25 | 25 | 25 | 25 |
| 130 | | | | | 50 | 25 | 25 | 25 | 25 | 25 |
| 140 | | | | | 50 | 25 | 25 | 25 | 25 | 25 |
| 150 | | | | | 50 | 25 | 25 | 25 | 25 | 25 |
| 160 | | | | | 50 | 25 | 25 | 25 | 25 | 10 |
| 170 | | | | | 50 | 25 | 25 | 25 | 25 | 10 |
| 180 | | | | | 50 | 25 | 25 | 25 | 25 | 10 |
| 190 | | | | | | | | 25 | 25 | 10 |
| 200 | | | | | | | | 25 | 25 | 10 |

DIN 933

- ~ HRN M.B1.053
- ~ UNI 5739
- ~ ISO 4017

Vijak sa šesterokutnom glavom, sa navojem do glave
Hexagon head screws, full thread
Sechskantschrauben ohne Schaft



8.8 Zn

| d1 | M 22 | M 24 | M 27 | M 30 | M 33 | M 36 | M 39 | M 42 | M 45 | M 48 |
|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| e | 35,72 | 39,98 | 45,20 | 50,85 | 55,37 | 60,79 | 66,44 | 72,09 | 77,74 | 83,39 |
| k | 14,00 | 15,00 | 17,00 | 18,70 | 21 | 22,50 | 25,00 | 26 | 28 | 30 |
| s po DIN | 32 | 36 | 41 | 46 | 50 | 55 | 60 | 65 | 70 | 75 |
| s po ISO | 34 | 36 | 41 | 46 | | 55 | 60 | | | |
| l/d | M 22 | M 24 | M 27 | M 30 | M 33 | M 36 | M 39 | M 42 | M 45 | M 48 |
| 6 | | | | | | | | | | |
| 8 | | | | | | | | | | |
| 10 | | | | | | | | | | |
| 12 | | | | | | | | | | |
| 14 | | | | | | | | | | |
| 16 | | | | | | | | | | |
| 18 | | | | | | | | | | |
| 20 | | | | | | | | | | |
| 22 | | | | | | | | | | |
| 25 | | | | | | | | | | |
| 30 | 25 | | | | | | | | | |
| 35 | 25 | | | | | | | | | |
| 40 | 25 | 25 | 25 | 10 | | | | | | |
| 45 | 25 | 25 | 25 | 10 | | | | | | |
| 50 | 25 | 25 | 25 | 10 | | | | | | |
| 55 | 25 | 25 | 10 | 10 | | | | | | |
| 60 | 25 | 25 | 10 | 10 | 1 | 1 | | | | |
| 65 | 25 | 25 | 10 | 10 | 1 | 1 | | | | |
| 70 | 25 | 25 | 10 | 10 | 1 | 1 | | | | |
| 75 | 25 | 25 | 10 | 10 | 1 | 1 | | | | |
| 80 | 25 | 25 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 85 | 25 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 90 | 25 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 95 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 100 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 110 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 120 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 130 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 140 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 150 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 160 | 10 | 10 | 10 | 10 | | | | | | |
| 170 | 10 | 10 | 10 | 10 | | | | | | |
| 180 | 10 | 10 | 10 | 10 | | | | | | |
| 190 | 10 | 10 | 10 | 10 | | | | | | |
| 200 | 10 | 10 | 10 | 10 | | | | | | |



DIV d.o.o., TVORNICA VIJAKA / FASTERNERS FACTORY, Bobovica 10a, HR-10430, Samobor, Hrvatska (Croatia)

Tel: +385 1 3377 000 / Fax: +385 1 3376 155 / e-mail: div@div.com.hr / www.div.com.hr

MB: 3659976 / Žiro račun: RBA 24840081100228260 / Devizni račun/Account: 038-2500-978-3659976 - Raiffeisen Bank Austria d.d., Zagreb


SWIFT: RZBHHR2X / IBAN: HR8224840081100228260 / MBS 080127368 kod Trgovačkog suda u Zagrebu / Temeljni kapital: 18.472.800,00 kn - uplaćen u cijelosti/entirely paid

Uprava/Board of Directors: T. Debeljak - predsjednik/president, D. Pappo - član/member, Nadzorni odbor/Supervisory Board: B. Debeljak - predsjednik/president

DIN 933

- ~ HRN M.B1.053
- ~ UNI 5739
- ~ ISO 4017

Vijak sa šesterokutnom glavom, sa navojem do glave
Hexagon head screws, full thread
 Sechskantschrauben ohne Schaft



8.8 TZn

| d1 | M 8 | M 10 | M 12 | M 14 | M 16 | M 18 | M 20 | M 22 | M 24 | M 27 | M 30 | M 33 | M 36 | M 39 | M 42 |
|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| e | 14,38 | 18,90 | 21,10 | 24,89 | 26,75 | 30,14 | 33,53 | 35,72 | 39,98 | 45,20 | 50,85 | 55,37 | 60,79 | 66,44 | 72,09 |
| k | 5,30 | 6,40 | 7,50 | 8,80 | 10,00 | 11,50 | 12,50 | 14,00 | 15,00 | 17,00 | 18,70 | 21,00 | 22,50 | 25,00 | 26,00 |
| s po DIN | 13,00 | 17,00 | 19,00 | 22,00 | 24,00 | 27,00 | 30,00 | 32,00 | 36,00 | 41,00 | 46,00 | 50,00 | 55,00 | 60,00 | 65,00 |
| s po ISO | 13,00 | 16,00 | 18,00 | 21,00 | 24,00 | 27,00 | 30,00 | 34,00 | 36,00 | 41,00 | 46,00 | 50,00 | 55,00 | 60,00 | 65,00 |
| l/d | M 8 | M 10 | M 12 | M 14 | M 16 | M 18 | M 20 | M 22 | M 24 | M 27 | M 30 | M 33 | M 36 | M 39 | M 42 |
| 10 | 200 | | | | | | | | | | | | | | |
| 12 | 200 | | | | | | | | | | | | | | |
| 14 | 200 | | | | | | | | | | | | | | |
| 16 | 200 | 200 | 100 | | | | | | | | | | | | |
| 18 | 200 | 200 | 100 | | | | | | | | | | | | |
| 20 | 200 | 200 | 100 | 100 | | | | | | | | | | | |
| 22 | 200 | 200 | 100 | 100 | | | | | | | | | | | |
| 25 | 200 | 200 | 100 | 100 | 50 | 50 | | | | | | | | | |
| 30 | 200 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | | | | | | | |
| 35 | 200 | 100 | 100 | 100 | 50 | 50 | 25 | 25 | | | | | | | |
| 40 | | 100 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 10 | | | | |
| 45 | 200 | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 | 25 | 10 | | | | |
| 50 | | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 | 25 | 10 | | | | |
| 55 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 10 | 10 | | | | |
| 60 | | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 10 | 10 | 1 | 1 | | |
| 65 | 200 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 25 | 10 | 10 | 1 | 1 | | |
| 70 | | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 25 | 10 | 10 | 1 | 1 | | |
| 75 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 25 | 10 | 10 | 1 | 1 | | |
| 80 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 25 | 10 | 10 | 1 | 1 | 1 | 1 |
| 85 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 10 | 10 | 10 | | | | |
| 90 | 100 | 50 | 50 | 50 | 25 | 25 | 25 | 25 | 10 | 10 | 10 | 1 | 1 | 1 | 1 |
| 95 | 100 | 50 | 50 | 50 | 25 | 25 | 25 | 10 | 10 | 10 | 10 | | | | |
| 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 |
| 110 | 100 | 50 | 50 | 50 | 25 | 25 | 25 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 |
| 120 | 100 | 50 | 25 | 25 | 25 | 25 | 25 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 |
| 130 | | 50 | 25 | 25 | 25 | 25 | 25 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 |
| 140 | | 50 | 25 | 25 | 25 | 25 | 25 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 |
| 150 | | 50 | 25 | 25 | 25 | 25 | 25 | 10 | 10 | 10 | 10 | 1 | 1 | 1 | 1 |
| 160 | | 50 | 25 | 25 | 25 | 25 | 10 | 10 | 10 | 10 | | | | | |
| 170 | | 50 | 25 | 25 | 25 | 25 | 10 | 10 | 10 | 10 | | | | | |
| 180 | | | | | 25 | 25 | 10 | 10 | 10 | 10 | | | | | |
| 190 | | | | | 25 | 25 | 10 | 10 | 10 | 10 | | | | | |
| 200 | | | | | 25 | 25 | 10 | 10 | 10 | 10 | | | | | |


DIN 933

~ HRN M.B1.053

~ UNI 5739

~ ISO 4017

Vijak sa šesterokutnom
glavom, sa navojem do glave
Hexagon head screws, full thread
Sechskantschrauben ohne Schaft



10.9 Br

| d1 | M 6 | M 8 | M 10 | M 12 | M 14 | M 16 | M 18 | M 20 | M 22 | M 24 |
|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| e | 11,05 | 14,38 | 18,90 | 21,10 | 24,89 | 26,75 | 30,14 | 33,53 | 35,72 | 39,98 |
| k | 4,00 | 5,30 | 6,40 | 7,50 | 8,80 | 10,00 | 11,50 | 12,50 | 14,00 | 15,00 |
| s po DIN | 10 | 13 | 17 | 19 | 22 | 24 | 27 | 30 | 32 | 36 |
| s po ISO | 10 | 13 | 16 | 18 | 21 | 24 | 27 | 30 | 34 | 36 |
| ld | M 6 | M 8 | M 10 | M 12 | M 14 | M 16 | M 18 | M 20 | M 22 | M 24 |
| 6 | | | | | | | | | | |
| 8 | 500 | 200 | | | | | | | | |
| 10 | 500 | 200 | 200 | | | | | | | |
| 12 | 500 | 200 | 200 | | | | | | | |
| 14 | 500 | 200 | 200 | | | | | | | |
| 16 | 500 | 200 | 200 | 100 | 100 | | | | | |
| 18 | 500 | 200 | 200 | 100 | 100 | | | | | |
| 20 | 500 | 200 | 200 | 100 | 100 | 50 | | | | |
| 22 | 500 | 200 | 200 | 100 | 100 | 50 | | | | |
| 25 | 500 | 200 | 200 | 100 | 100 | 50 | 50 | 25 | | |
| 30 | 500 | 200 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 |
| 35 | 200 | 200 | 100 | 100 | 100 | 50 | 50 | 25 | 25 | 25 |
| 40 | 200 | 200 | 100 | 100 | 100 | 50 | 50 | 25 | 25 | 25 |
| 45 | 200 | 200 | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 |
| 50 | 200 | 200 | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 |
| 55 | 200 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 |
| 60 | 200 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 |
| 65 | 200 | 200 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 25 |
| 70 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 25 |
| 75 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 25 |
| 80 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 25 |
| 85 | 100 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 10 |
| 90 | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 | 25 | 10 |
| 95 | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 | 10 | 10 |
| 100 | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 | 10 | 10 |
| 110 | | 100 | 50 | 50 | 50 | 25 | 25 | 25 | 10 | 10 |
| 120 | | 100 | 50 | 25 | 25 | 25 | 25 | 25 | 10 | 10 |
| 130 | | | 50 | 25 | 25 | 25 | 25 | 25 | 10 | 10 |
| 140 | | | 50 | 25 | 25 | 25 | 25 | 25 | 10 | 10 |
| 150 | | | 50 | 25 | 25 | 25 | 25 | 25 | 10 | 10 |
| 160 | | | 50 | 25 | 25 | 25 | 25 | 10 | 10 | 10 |
| 170 | | | 50 | 25 | 25 | 25 | 25 | 10 | 10 | 10 |
| 180 | | | 50 | 25 | 25 | 25 | 25 | 10 | 10 | 10 |
| 190 | | | | | | 25 | 25 | 10 | 10 | 10 |
| 200 | | | | | | 25 | 25 | 10 | 10 | 10 |



DIV d.o.o., TVORNICA VIJAKA / FASTENERS FACTORY, Bobovica 10a, HR-10430, Samobor, Hrvatska (Croatia)

Tel: +385 1 3377 000 / Fax: +385 1 3376 155 / e-mail: div@div.com.hr / www.div.com.hr

MB: 3659976 / Žiro račun: RBA 2484008-1100228260 / Devizni račun/Account: 038-2500-978-3659976 - Raiffeisen Bank Austria d.d., Zagreb


SWIFT: RZBHHR2X / IBAN: HR8224840081100228260 / MBS 080127368 kod Trgovačkog suda u Zagrebu / Temeljni kapital: 18.472.800,00 kn - uplaćen u cijelosti/entirely paid

Uprava/Board of Directors: T. Debeljak - predsjednik/president, D. Pappo - član/member, Nadzorni odbor/Supervisory Board: B. Debeljak - predsjednik/president

DIN 933

- ~ HRN M.B1.053
- ~ UNI 5739
- ~ ISO 4017

Vijak sa šesterokutnom glavom, sa navojem do glave
Hexagon head screws, full thread
Sechskantschrauben ohne Schaft



10.9 Br

| d1 | M 27 | M 30 | M 33 | M 36 | M 39 | M 42 | M 45 | M 48 |
|----------|-------|-------|-------|-------|-------|-------|-------|-------|
| e | 45,20 | 50,85 | 55,37 | 60,79 | 66,44 | 72,09 | 77,74 | 83,39 |
| k | 17,00 | 18,70 | 21 | 22,50 | 25,00 | 26 | 28 | 30 |
| s po DIN | 41 | 46 | 50 | 55 | 60 | 65 | 70 | 75 |
| s po ISO | 41 | 46 | | 55 | 60 | | | |
| ld | M 27 | M 30 | M 33 | M 36 | M 39 | M 42 | M 45 | M 48 |
| 6 | | | | | | | | |
| 8 | | | | | | | | |
| 10 | | | | | | | | |
| 12 | | | | | | | | |
| 14 | | | | | | | | |
| 16 | | | | | | | | |
| 18 | | | | | | | | |
| 20 | | | | | | | | |
| 22 | | | | | | | | |
| 25 | | | | | | | | |
| 30 | | | | | | | | |
| 35 | | | | | | | | |
| 40 | 25 | 10 | | | | | | |
| 45 | 25 | 10 | | | | | | |
| 50 | 25 | 10 | | | | | | |
| 55 | 10 | 10 | | | | | | |
| 60 | 10 | 10 | 1 | 1 | | | | |
| 65 | 10 | 10 | 1 | 1 | | | | |
| 70 | 10 | 10 | 1 | 1 | | | | |
| 75 | 10 | 10 | 1 | 1 | | | | |
| 80 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 85 | 10 | | | | | | | |
| 90 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 95 | 10 | | | | | | | |
| 100 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 110 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 120 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 130 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 140 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 150 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 160 | 10 | 10 | | | | | | |
| 170 | 10 | 10 | | | | | | |
| 180 | 10 | 10 | | | | | | |
| 190 | 10 | | | | | | | |
| 200 | 10 | | | | | | | |


DIN 933

~ HRN M.B1.053

~ UNI 5739

~ ISO 4017

Vijak sa šesterokutnom glavom, sa navojem do glave
Hexagon head screws, full thread
 Sechskantschrauben ohne Schaft



10.9 Zn

| d1 | M 6 | M 8 | M 10 | M 12 | M 14 | M 16 | M 18 | M 20 | M 22 | M 24 |
|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| e | 11,05 | 14,38 | 18,90 | 21,10 | 24,89 | 26,75 | 30,14 | 33,53 | 35,72 | 39,98 |
| k | 4,00 | 5,30 | 6,40 | 7,50 | 8,80 | 10,00 | 11,50 | 12,50 | 14,00 | 15,00 |
| s po DIN | 10 | 13 | 17 | 19 | 22 | 24 | 27 | 30 | 32 | 36 |
| s po ISO | 10 | 13 | 16 | 18 | 21 | 24 | 27 | 30 | 34 | 36 |
| ld | M 6 | M 8 | M 10 | M 12 | M 14 | M 16 | M 18 | M 20 | M 22 | M 24 |
| 10 | 500 | 200 | | | | | | | | |
| 12 | 500 | 200 | | | | | | | | |
| 14 | 500 | 200 | | | | | | | | |
| 16 | 500 | 200 | 200 | 100 | | | | | | |
| 18 | 500 | 200 | 200 | 100 | | | | | | |
| 20 | 500 | 200 | 200 | 100 | 100 | | | | | |
| 22 | 500 | 200 | 200 | 100 | 100 | | | | | |
| 25 | 500 | 200 | 200 | 100 | 100 | 50 | 50 | | | |
| 30 | 500 | 200 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | |
| 35 | 200 | 200 | 100 | 100 | 100 | 50 | 50 | 25 | 25 | |
| 40 | 200 | 200 | 100 | 100 | 100 | 50 | 50 | 25 | 25 | 25 |
| 45 | 200 | 200 | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 |
| 50 | 200 | 200 | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 |
| 55 | 200 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 |
| 60 | 200 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 |
| 65 | 200 | 200 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 25 |
| 70 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 25 |
| 75 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 25 |
| 80 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 25 |
| 85 | 100 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 10 |
| 90 | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 | 25 | 10 |
| 95 | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 | 10 | 10 |
| 100 | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 | 10 | 10 |
| 110 | | 100 | 50 | 50 | 50 | 25 | 25 | 25 | 10 | 10 |
| 120 | | 100 | 50 | 25 | 25 | 25 | 25 | 25 | 10 | 10 |
| 130 | | | 50 | 25 | 25 | 25 | 25 | 25 | 10 | 10 |
| 140 | | | 50 | 25 | 25 | 25 | 25 | 25 | 10 | 10 |
| 150 | | | 50 | 25 | 25 | 25 | 25 | 25 | 10 | 10 |
| 160 | | | 50 | 25 | 25 | 25 | 25 | 10 | 10 | 10 |
| 170 | | | 50 | 25 | 25 | 25 | 25 | 10 | 10 | 10 |
| 180 | | | | | | 25 | 25 | 10 | 10 | 10 |
| 190 | | | | | | 25 | 25 | 10 | 10 | 10 |
| 200 | | | | | | 25 | 25 | 10 | 10 | 10 |


DIN 933

~ HRN M.B1.053

~ UNI 5739

~ ISO 4017

Vijak sa šesterokutnom glavom, sa navojem do glave
Hexagon head screws, full thread
 Sechskantschrauben ohne Schaft



10.9 Zn

| d1 | M 27 | M 30 | M 33 | M 36 | M 39 | M 42 | M 45 | M 48 |
|----------|-------|-------|-------|-------|-------|-------|-------|-------|
| e | 45,20 | 50,85 | 55,37 | 60,79 | 66,44 | 72,09 | 77,74 | 83,39 |
| k | 17,00 | 18,70 | 21 | 22,50 | 25,00 | 26 | 28 | 30 |
| s po DIN | 41 | 46 | 50 | 55 | 60 | 65 | 70 | 75 |
| s po ISO | 41 | 46 | 50 | 55 | 60 | 65 | 70 | 75 |
| ld | M 27 | M 30 | M 33 | M 36 | M 39 | M 42 | M 45 | M 48 |
| 10 | | | | | | | | |
| 12 | | | | | | | | |
| 14 | | | | | | | | |
| 16 | | | | | | | | |
| 18 | | | | | | | | |
| 20 | | | | | | | | |
| 22 | | | | | | | | |
| 25 | | | | | | | | |
| 30 | | | | | | | | |
| 35 | | | | | | | | |
| 40 | 25 | 10 | | | | | | |
| 45 | 25 | 10 | | | | | | |
| 50 | 25 | 10 | | | | | | |
| 55 | 10 | 10 | | | | | | |
| 60 | 10 | 10 | 1 | 1 | | | | |
| 65 | 10 | 10 | 1 | 1 | | | | |
| 70 | 10 | 10 | 1 | 1 | | | | |
| 75 | 10 | 10 | 1 | 1 | | | | |
| 80 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 85 | 10 | 10 | | | | | | |
| 90 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 95 | 10 | 10 | | | | | | |
| 100 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 110 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 120 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 130 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 140 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 150 | 10 | 10 | 1 | 1 | 1 | 1 | | |
| 160 | 10 | 10 | | | | | | |
| 170 | 10 | 10 | | | | | | |
| 180 | 10 | | | | | | | |
| 190 | 10 | | | | | | | |
| 200 | 10 | | | | | | | |



DIV d.o.o., TVORNICA VIJAKA / FASTENERS FACTORY, Bobovica 10a, HR-10430, Samobor, Hrvatska (Croatia)
Tel: +385 1 3377 000 / Fax: +385 1 3376 155 / e-mail: div@div.com.hr / www.div.com.hr


MB: 3659976 / Žiro račun: RBA 24840081100228260 / Devizni račun/Account: 038-2500-978-3659976 - Raiffeisen Bank Austria d.d., Zagreb

SWIFT: RZBHHR2X / IBAN: HR8224840081100228260 / MBS 080127368 kod Trgovačkog suda u Zagrebu / Temeljni kapital: 18.472.800,00 kn - uplaćen u cijelosti/entirely paid
Uprava/Board of Directors: T. Debeljak - predsjednik/president, D. Pappo - član/member, **Nadzorni odbor/Supervisory Board:** B. Debeljak - predsjednik/president

DIN 933

- ~ HRN M.B1.053
- ~ UNI 5739
- ~ ISO 4017

Vijak sa šesterokutnom
 glavom, sa navojem do glave
Hexagon head screws, full thread
Sechskantschrauben ohne Schaft



12.9 Br

| d1 | M 8 | M 10 | M 12 | M 14 | M 16 | M 18 | M 20 | M 22 | M 24 | M 27 | M 30 |
|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| e | 14,38 | 18,90 | 21,10 | 24,89 | 26,75 | 30,14 | 33,53 | 35,72 | 39,98 | 45,20 | 50,85 |
| k | 5,30 | 6,40 | 7,50 | 8,80 | 10,00 | 11,50 | 12,50 | 14,00 | 15,00 | 17,00 | 18,70 |
| s po DIN | 13,00 | 17,00 | 19,00 | 22,00 | 24,00 | 27,00 | 30,00 | 32,00 | 36,00 | 41,00 | 46,00 |
| s po ISO | 13,00 | 16,00 | 18,00 | 21,00 | 24,00 | 27,00 | 30,00 | 34,00 | 36,00 | 41,00 | 46,00 |
| l/d | M 8 | M 10 | M 12 | M 14 | M 16 | M 18 | M 20 | M 22 | M 24 | M 27 | M 30 |
| 16 | 200 | | | | | | | | | | |
| 20 | 200 | | | | | | | | | | |
| 25 | 200 | 200 | 100 | | | | | | | | |
| 30 | 200 | 200 | 100 | 100 | 50 | | | | | | |
| 35 | 200 | 100 | 100 | 100 | 50 | 50 | | | | | |
| 40 | 200 | 100 | 100 | 100 | 50 | 50 | 25 | | | | |
| 45 | 200 | 100 | 100 | 50 | 50 | 50 | 25 | 25 | | | |
| 50 | 200 | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 | | |
| 55 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 10 | |
| 60 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 10 | 10 |
| 65 | 200 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 25 | 10 | 10 |
| 70 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 25 | 10 | 10 |
| 80 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 25 | 10 | 10 |
| 90 | | 50 | 50 | 50 | 25 | 25 | 25 | 25 | 10 | 10 | 10 |
| 100 | | 50 | 50 | 50 | 25 | 25 | 25 | 10 | 10 | 10 | 10 |
| 120 | | | 25 | 25 | 25 | 25 | 25 | 10 | 10 | 10 | 10 |
| 150 | | | | 25 | 25 | 25 | 25 | 10 | 10 | 10 | 10 |
| 180 | | | | | 25 | 25 | 10 | 10 | 10 | 10 | 10 |
| 200 | | | | | 25 | 25 | 10 | 10 | 10 | 10 | 10 |



DIV d.o.o., TVORNICA VIJAKA / FASTENERS FACTORY, Bobovica 10a, HR-10430, Samobor, Hrvatska (Croatia)

Tel: +385 1 3377 000 / Fax: +385 1 3376 155 / e-mail: div@div.com.hr / www.div.com.hr

MB: 3659976 / Žiro račun: RBA 2484008-1100228260 / Devizni račun/Account: 038-2500-978-3659976 - Raiffeisen Bank Austria d.d., Zagreb

SWIFT: RZBHHR2X / IBAN: HR8224840081100228260 / MBS 080127368 kod Trgovačkog suda u Zagrebu / Temeljni kapital: 18.472.800,00 kn - uplaćen u cijelosti/entirely paid

Uprava/Board of Directors: T. Debeljak - predsjednik/president, D. Pappo - član/member, Nadzorni odbor/Supervisory Board: B. Debeljak - predsjednik/president


DIN 933

~ HRN M.B1.053

~ UNI 5739

~ ISO 4017

Vijak sa šesterokutnom glavom, sa navojem do glave
Hexagon head screws, full thread
 Sechskantschrauben ohne Schaft



A2

| d1 | M 3 | M 4 | M 5 | M 6 | M 8 | M 10 | M 12 | M 14 | M 16 | M 18 | M 20 | M 22 | M 24 | M 27 | M 30 | M 33 | M 36 |
|----------|-------|-------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| e | 6,01 | 7,66 | 8,79 | 11,05 | 14,38 | 18,90 | 21,10 | 24,89 | 26,75 | 30,14 | 33,53 | 35,72 | 39,98 | 45,20 | 50,85 | 55,37 | 60,79 |
| k | 2,00 | 2,80 | 3,50 | 4,00 | 5,30 | 6,40 | 7,50 | 8,80 | 10,00 | 11,50 | 12,50 | 14,00 | 15,00 | 17,00 | 18,70 | 21,00 | 22,50 |
| s po DIN | 5,50 | 7 | 8 | 10 | 13 | 17 | 19 | 22 | 24 | 27 | 30 | 32 | 36 | 41 | 46 | 50 | 55 |
| s po ISO | 5,50 | 7 | 8 | 10 | 13 | 16 | 18 | 21 | 24 | 27 | 30 | 34 | 36 | 41 | 46 | 50 | 55 |
| ld | M 3 | M 4 | M 5 | M 6 | M 8 | M 10 | M 12 | M 14 | M 16 | M 18 | M 20 | M 22 | M 24 | M 27 | M 30 | M 33 | M 36 |
| 6 | 1.000 | 1.000 | 500 | | | | | | | | | | | | | | |
| 8 | 1.000 | 1.000 | 500 | 500 | 500 | | | | | | | | | | | | |
| 10 | 1.000 | 1.000 | 500 | 500 | 500 | 100 | | | | | | | | | | | |
| 12 | 1.000 | 1.000 | 500 | 500 | 500 | 100 | | | | | | | | | | | |
| 14 | 1.000 | 1.000 | 500 | 200 | 200 | 100 | | | | | | | | | | | |
| 16 | 1.000 | 1.000 | 500 | 200 | 200 | 100 | 50 | | | | | | | | | | |
| 18 | | 1.000 | 500 | 200 | 200 | 100 | | | | | | | | | | | |
| 20 | 1.000 | 500 | 500 | 200 | 200 | 100 | 50 | 50 | 25 | | | | | | | | |
| 22 | | 500 | 500 | 200 | 200 | 100 | 50 | | | | | | | | | | |
| 25 | 1.000 | 500 | 200 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | | | | | | |
| 30 | 1.000 | 500 | 200 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | | | | | |
| 35 | 500 | 200 | 200 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | | | | | |
| 40 | 500 | 200 | 200 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 10 | | | | |
| 45 | | 200 | 200 | 100 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 10 | | | | |
| 50 | | 200 | 200 | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 | 25 | 10 | 10 | | | |
| 55 | | | 200 | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 | 25 | 10 | 10 | | | |
| 60 | | | 200 | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 | 25 | 10 | 10 | 10 | | |
| 65 | | | | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 | 25 | 10 | 10 | 10 | | |
| 70 | | | | 100 | 50 | 50 | 50 | 50 | 25 | 25 | 25 | 25 | 10 | 10 | 10 | 10 | |
| 75 | | | | 100 | 50 | 50 | 25 | 50 | 25 | 25 | 25 | 25 | 10 | | | | |
| 80 | | | | 100 | 50 | 50 | 25 | 50 | 25 | 25 | 25 | 25 | 10 | 10 | 10 | 10 | 5 |
| 90 | | | | 100 | 50 | 50 | 25 | 50 | 25 | 25 | 25 | 25 | 10 | 10 | 10 | 10 | 5 |
| 100 | | | | 100 | 50 | 50 | 25 | 50 | 25 | 25 | 25 | 25 | 10 | 10 | 10 | 10 | 5 |
| 110 | | | | | 50 | 50 | 25 | 25 | 25 | 25 | 25 | 20 | 10 | 10 | 10 | 10 | 5 |
| 120 | | | | | 50 | 50 | 25 | 25 | 25 | 25 | 25 | 20 | 10 | 10 | 10 | 10 | 5 |
| 130 | | | | | 50 | 50 | 25 | 25 | 25 | 25 | 25 | 20 | 10 | 10 | 10 | 5 | 5 |
| 140 | | | | | 50 | 50 | 25 | 25 | 25 | 25 | 25 | 20 | 10 | 10 | 10 | 5 | 5 |
| 150 | | | | | 50 | 50 | 25 | 25 | 25 | 25 | 25 | 10 | 10 | 10 | 10 | 5 | 5 |
| 160 | | | | | 25 | 25 | 10 | | 25 | | 25 | | 10 | | | | |
| 170 | | | | | 25 | 25 | 10 | | 25 | | 25 | | 10 | | | | |
| 180 | | | | | 25 | 25 | 10 | | 10 | | 20 | | 5 | | | | |
| 190 | | | | | | 25 | 10 | | 10 | | 20 | | 5 | | | | |
| 200 | | | | | | 25 | 10 | | 10 | | 20 | | 5 | | | | |


DIN 933

~ HRN M.B1.053

~ UNI 5739

~ ISO 4017

Vijak sa šesterokutnom glavom, sa navojem do glave
Hexagon head screws, full thread
Sechskantschrauben ohne Schaft



A4

| d1 | M 3 | M 4 | M 5 | M 6 | M 8 | M 10 | M 12 | M 14 | M 16 | M 18 | M 20 | M 22 | M 24 | M 27 | M 30 | M 33 | M 36 |
|----------|-------|-------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| e | 6,01 | 7,66 | 8,79 | 11,05 | 14,38 | 18,90 | 21,10 | 24,89 | 26,75 | 30,14 | 33,53 | 35,72 | 39,98 | 45,20 | 50,85 | 55,37 | 60,79 |
| k | 2,00 | 2,80 | 3,50 | 4,00 | 5,30 | 6,40 | 7,50 | 8,80 | 10,00 | 11,50 | 12,50 | 14,00 | 15,00 | 17,00 | 18,70 | 21,00 | 22,50 |
| s po DIN | 5,50 | 7 | 8 | 10 | 13 | 17 | 19 | 22 | 24 | 27 | 30 | 32 | 36 | 41 | 46 | 50 | 55 |
| s po ISO | 5,50 | 7 | 8 | 10 | 13 | 16 | 18 | 21 | 24 | 27 | 30 | 34 | 36 | 41 | 46 | 50 | 55 |
| l/d | M 3 | M 4 | M 5 | M 6 | M 8 | M 10 | M 12 | M 14 | M 16 | M 18 | M 20 | M 22 | M 24 | M 27 | M 30 | M 33 | M 36 |
| 6 | 1.000 | 1.000 | | | | | | | | | | | | | | | |
| 8 | 1.000 | 1.000 | 500 | 500 | | | | | | | | | | | | | |
| 10 | 1.000 | 1.000 | 500 | 500 | 500 | 100 | | | | | | | | | | | |
| 12 | 1.000 | 1.000 | 500 | 500 | 500 | 100 | | | | | | | | | | | |
| 14 | 1.000 | 1.000 | 500 | 200 | 200 | 100 | | | | | | | | | | | |
| 16 | 1.000 | 1.000 | 500 | 200 | 200 | 100 | 50 | | | | | | | | | | |
| 18 | | 1.000 | 500 | 200 | 200 | 100 | | | | | | | | | | | |
| 20 | 1.000 | 500 | 500 | 200 | 200 | 100 | 50 | 50 | 25 | | | | | | | | |
| 22 | | 500 | 500 | 200 | 200 | 100 | 50 | | | | | | | | | | |
| 25 | 1.000 | 500 | 200 | 200 | 100 | 100 | 50 | 50 | 25 | | | | | | | | |
| 30 | 1.000 | 500 | 200 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | | | | | |
| 35 | | 200 | 200 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | | | | | |
| 40 | | 200 | 200 | 200 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 10 | | | | |
| 45 | | 200 | 200 | 100 | 100 | 100 | 50 | 50 | 25 | 25 | 25 | 25 | 10 | | | | |
| 50 | | 200 | 200 | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 | 25 | 10 | 10 | | | |
| 55 | | | 200 | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 | 25 | 10 | 10 | | | |
| 60 | | 100 | 200 | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 | 25 | 10 | 10 | 10 | | |
| 65 | | | | 100 | 100 | 50 | 50 | 50 | 25 | 25 | 25 | 25 | 10 | 10 | 10 | | |
| 70 | | | | 100 | 50 | 50 | 50 | 50 | 25 | 25 | 25 | 25 | 10 | 10 | 10 | 10 | |
| 75 | | | | 100 | 50 | 50 | 25 | 50 | 25 | 25 | 25 | 25 | 10 | | | | |
| 80 | | | | 100 | 50 | 50 | 25 | 50 | 25 | 25 | 25 | 25 | 10 | 10 | 10 | 10 | 5 |
| 90 | | | | 100 | 50 | 50 | 25 | 50 | 25 | 25 | 25 | 25 | 10 | 10 | 10 | 10 | 5 |
| 100 | | | | 100 | 50 | 50 | 25 | 50 | 25 | 25 | 25 | 25 | 10 | 10 | 10 | 10 | 5 |
| 110 | | | | 50 | 50 | 50 | 25 | 25 | 25 | 25 | 25 | 20 | 10 | 10 | 10 | 10 | 5 |
| 120 | | | | 50 | 50 | 50 | 25 | 25 | 25 | 25 | 25 | 20 | 10 | 10 | 10 | 10 | 5 |
| 130 | | | | | 50 | 50 | 25 | 25 | 25 | 25 | 25 | 20 | 10 | 10 | 10 | 5 | 5 |
| 140 | | | | | 50 | 50 | 25 | 25 | 25 | 25 | 25 | 20 | 10 | 10 | 10 | 5 | 5 |
| 150 | | | | | 50 | 50 | 25 | 25 | 25 | 25 | 25 | 10 | 10 | 10 | 10 | 5 | 5 |
| 160 | | | | | 25 | 25 | 10 | | 25 | | 25 | | 10 | | | | |
| 170 | | | | | 25 | 25 | 10 | | 25 | | 25 | | 10 | | | | |
| 180 | | | | | 25 | 25 | 10 | | 10 | | 20 | | 10 | | | | |
| 190 | | | | | | 25 | 10 | | 10 | | 20 | | 10 | | | | |
| 200 | | | | | | 25 | 10 | | 10 | | 20 | | 10 | | | | |

